

UNIQUE WELL NUMBER MONITORING WELL

"C"

Department of Natural Resources
Private Water Supply - WS/2
Box 7921
Madison, WI 53707 WEST

University of Wisconsin System (608) 262-2324

Board of Regents, 1220 Linden Drive

City Madison

State WI

Zip Code 53706

County of Well Location Milwaukee

County Well Location Permit No. W

Well Completion Date 08/16/91
M M D D Y YWell Constructor (Business Name) Registration #
Wagner Bros. Well Drilling Inc. 654

Address

W2282 State Highway 149

City


State

Zip Code

Mt. Calvary

WI

50357

2. Mark well location
in correct 40-acre
parcel of section.1. Location (Please type or print using a black pen.)
☐ Town ☒ City ☐ Village ☐ Fire # (if available)

of Milwaukee

Grid or Street Address or Road Name and Number (if available)

3209 North Maryland Avenue

Subdivision Name

Lot #

Block #

Gov't Lot # or SW 1/4 of SW 1/4 of
Section 10: T 7 N; R 22 E W

3. Well Type

☒ New☐ Replacement☐ Reconstruction

of unique well # N/A constructed in 19

Reason for new, replaced or reconstructed well?

☐ Drilled ☐ Driven Point ☐ Jetted ☐ Other☒ Yes ☐ No If no, explain on back side.

17. Wastewater Sump

18. Paved Animal Barn Pen

19. Animal Yard or Shelter

20. Silo - Type

21. Barn Gutter

22. Manure Pipe ☐ Gravity ☐ Pressure
☐ Cast Iron or Plastic ☐ Other23. Other Manure Storage
Other NR 112 Waste Source

24.

Hydrology and Geology Department

4. Well serves of homes and/or
(ex: barn, restaurant, church, school, industry, etc.)High Capacity Well? ☐ Yes ☒ NoHigh Capacity Property? ☒ Yes ☐ No5. Well Located on Highest Point of Property, Consistent with the General Layout and Surroundings?
Well Located in Floodplain? ☐ Yes ☒ No
Distance In Feet From Well To Nearest:

1. Landfill

60 2. Building Overhang

3. Septic or Holding Tank

4. Sewage Absorption Unit

5. Nonconforming Pit

6. Buried Home Heating Oil Tank

7. Buried Petroleum Tank

8. Shoreline/Swimming Pool

50 15. Collector or Street Sewer

16. Clearwater Sump

9. Downspout/Yard Hydrant

10. Privy

11. Foundation Drain to Clearwater

12. Foundation Drain to Sewer

13. Building Drain

☐ Cast Iron or Plastic ☐ Other14. Building Sewer ☐ Gravity ☐ Pressure☐ Cast Iron or Plastic ☐ Other

15. Collector or Street Sewer

16. Clearwater Sump

17. Wastewater Sump

18. Paved Animal Barn Pen

19. Animal Yard or Shelter

20. Silo - Type

21. Barn Gutter

22. Manure Pipe ☐ Gravity ☐ Pressure☐ Cast Iron or Plastic ☐ Other

23. Other Manure Storage

Other NR 112 Waste Source

24.

6. Drillhole Dimensions
From To
Dia. (in.) (ft.) (ft.)

10 surface 20

6 20 275

Method of constructing upper enlarged
drillhole only.☐ 1. Rotary - Mud Circulation☒ 2. Rotary - Air☐ 3. Rotary - Foam☐ 4. Reverse Rotary☐ 5. Cable-tool Bit in. dia.☐ 6. Temp. Outer Casing in. dia.Removed? ☐ Yes ☐ No

If no, explain

☐ 7. OtherDNR
USE
ONLY9. Geology
Type, Caving/Noncaving, Color, Hardness, Etc.From To
(ft.) (ft.)

red clay

surface 28

Gravel and boulders

28 80

Clay, Sand and boulders

80 200

Limestone

200 210

soft, blue shale

210 255

hard gray shale

255 265

rust colored shale

265 275

10. Static Water Level

ft. above ground level

198 ft. below ground surface

12. Well Is:

12 in.

☒ Above☐ Below Grade

Developed?

☒ Yes ☐ No

Disinfected?

☒ Yes ☐ No

Capped?

☒ Yes ☐ No

11. Pump Test

Pumping Level ft. below surface

Pumping at GPM for hours

13. Did you permanently seal all unused, noncomplying, or unsafe wells?
☐ Yes ☐ No If no, explain N/A

14. Signature of Point Driver or Registered Driller

MUNICIPAL WELL & PUMP, INC.

2201 BADGER COURT

WAUKESHA, WISCONSIN 53188

(414) 547-4711 • FAX (414) 524-8364

Date Signed

8/28/91

Date Signed

RUCTION REPORT

Rev 0.00

Additional comments on reverse side about geology, etc.

Well Construction Report For WISCONSIN UNIQUE WELL NUMBER

CZ579

Pump Well

Property Owner UNIVERSITY OF WISCONSIN SYSTEM

Telephone Number 608-262-2324

Mailing Address 1220 LINDEN DR
City MADISON

State WI Zip Code 53706

County of Well Location MILWAUKEE

Co. Well Permit No.

Well Completion Date August 15, 1991

41 Well Constructor (Business Name) WAGNER BROTHERS WELL

License # 0654

2. Dates

11/08/91 Rc'd

2 Address RT 1 BOX 49

City MT CALVARY State WI Zip Code 53057

09/10/93 Create

03/23/92 Last FM

XT

M=Munic. O=OTM N=NonCom P=Priv Z=Other
X=Non-Pot. A=Anode L=Loop H=Drillhole

4. Well serves

of homes and or HYDROLOGY @ GEOLOGY

High Capacity:

Well? Y

Property? Y

Flag (Ex: barn, restaurant, church, school, industry, etc.)

5. Well located on highest point of property, consistent with the general layout and surroundings?

Well located in floodplain? N

Distance in Feet From Well To Nearest:

1. Landfill
- 60 2. Building Overhang
3. Septic or Holding Tank (circle one)
4. Sewage Absorption Unit
5. Nonconforming Pit
6. Buried Home Heating Oil Tank
7. Buried Petroleum Tank
- 50 8. Shoreline/Swimming Pool

9. Downspout/Yard Hydrant Y

10. Privy

11. Foundation Drain to Clearwater

12. Foundation Drain to Sewer

13. Building Drain

1 = Cast Iron or Plastic 2 = Other

14. Building Sewer 1=Gravity 2=Pressure

1 = Cast Iron or Plastic 2 = Other

50 15. Collector or Street Sewer

16. Clearwater Sump

17. Wastewater Sump

18. Paved Animal Barn Pen

19. Animal Yard or Shelter

20. Silo - Type

21. Barn Gutter

22. Manure Pipe 1=Gravity 2=Pressur

1 = Cast Iron or Plastic 2 = Other

23. Other Manure Storage

Other NR 112 Waste Source

24.

6. Drillhole Dimensions
Dia. (in.) From (ft.) To (ft.)

10.0 surface 278.0

6.0 278.0 350.0

Method of constructing upper enlarged drillhole only.

X 1. Rotary - Mud Circulation

X 2. Rotary - Air

3. Rotary - Foam

4. Reverse Rotary

5. Cable-tool Bit _____ in. dia.

6. Temp. Outer Casing _____ in. dia.

Removed?

7. Other

7. Casing, Liner, Screen
Dia. (in.) Material, Weight, Specification From (ft.) To (ft.)
Manufacturer & Method of Assembly

6.0 NEW P.E. 18.97 STEEL ASTM A-53 .280 WALL, VALLEY S surface 278.0

0.0

0.0

0.0

8. Grout or Other Sealing Material
Method PRESSURE-TREMIE PIPE From (ft.) To (ft.) # Sacks Cement
Kind of Sealing Material

NEAT CEMENT

surface 278.0 0100.0

9. Geology Flag From (ft.) To (ft.)
Type, Caving/Noncaving, Color, Hardness, Etc.

RC	RED CLAY	Surface	29
GG	GRAVEL @ BOULDERS	28.0	80
CS	CLAY SAND @ BOULDERS	80.0	200
L	LIMESTONE	200.0	210
UH	BLUE SHALE	210.0	255
HH	HARD GREY SHALE	255.0	265
QH	RUST COLORED SHALE. CAVING	265.0	275
L	THIENSVILLE DOLOMITE TSV	275.0	350

10. Static Water Level Flag 198.0 ft. B ground surface
A=Above B=Below

11. Pump Test Flag
Pumping Level 215.0 ft. below ground surface
Pumping at 100.0 GPM 8.00 hrs
12. Well Is: Flag
12 in. A Grade
A=Above B=Below
Developed? Y
Disinfected? Y
Capped? Y
Depth (feet) 0350.00

13. Did you permanently seal all unused, noncomplying, or unsafe wells?
If no, explain Flag

14. Signature of Point Driver or Licensed Supervisory Driller Date Signe
CW 8/28/91

Signature of Drill Rig Operator (Mandatory unless same as above) Date Signe

Well Construction Report For DEEP MONITORING WISCONSIN UNIQUE WELL NUMBER Well

Property Owner
University of Wisconsin System (608) 262-2324
Mailing Address

Board of Regents, 1220 Linden Drive

City Madison State WI Zip Code 53706

County of Well Location County Well Location Permit No. W Well Completion Date 08/15/91
Milwaukee M M D D Y Y

Well Constructor (Business Name) Registration #
Wagner Brothers Well Drilling 654
Address
W2282 State Highway 149
City State Zip Code
Mt. Calvary WI 53057

2. Mark well location in correct 40-acre parcel of section.
N
W E
S

Department of Natural Resources
Private Water Supply - WS/2
Box 7921
Madison, WI 53707

SOUTH

1. Location (Please type or print using a black pen.)
☐ Town ☐ City ☐ Village Fire # (if available)
of
Grid or Street Address or Road Name and Number (if available)

Subdivision Name Lot # Block #
Gov't Lot # or 1/4 of 1/4 of
Section ; T N; R ☐ E ☐ W

3. Well Type ☐ New
☐ Replacement ☐ Reconstruction
of unique well # constructed in 19
Reason for new, replaced or reconstructed well?

Hydrology and Gwology Department
4. Well serves # of homes and/or
(ex: barn, restaurant, church, school, industry, etc.)

High Capacity Well? ☐ Yes ☒ No
High Capacity Property? ☒ Yes ☐ No

☐ Drilled ☐ Driven Point ☐ Jetted ☐ Other

5. Well Located on Highest Point of Property, Consistent with the General Layout and Surroundings? ☐ Yes ☐ No If no, explain on back side.

Well Located in Floodplain? ☐ Yes ☐ No
Distance In Feet From Well To Nearest:

1. Landfill
- 60 2. Building Overhang
3. Septic or Holding Tank
4. Sewage Absorption Unit
5. Nonconforming Pit
6. Buried Home Heating Oil Tank
7. Buried Petroleum Tank
8. Shoreline/Swimming Pool

9. Downspout/Yard Hydrant
10. Privy
11. Foundation Drain to Clearwater
12. Foundation Drain to Sewer
13. Building Drain
☐ Cast Iron or Plastic ☐ Other
14. Building Sewer ☐ Gravity ☐ Pressure
☐ Cast Iron or Plastic ☐ Other
15. Collector or Street Sewer
16. Clearwater Sump

17. Wastewater Sump
18. Paved Animal Barn Pen
19. Animal Yard or Shelter
20. Silo - Type
21. Barn Gutter
22. Manure Pipe ☐ Gravity ☐ Pressure
☐ Cast Iron or Plastic ☐ Other
23. Other Manure Storage
Other NR 112 Waste Source
- 24.

6. Drillhole Dimensions			Method of constructing upper enlarged drillhole only.	
Dia. (in.)	From (ft.)	To (ft.)		
8	surface	277	<input checked="" type="checkbox"/> 1. Rotary - Mud Circulation	
			<input checked="" type="checkbox"/> 2. Rotary - Air	
			<input type="checkbox"/> 3. Rotary - Foam	
6	277	355	<input type="checkbox"/> 4. Reverse Rotary	
			<input type="checkbox"/> 5. Cable-tool Bit in. dia.	
			<input type="checkbox"/> 6. Temp. Outer Casing in. dia.	
			Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No	
			If no, explain	
			<input type="checkbox"/> 7. Other	

7. Casing, Liner, Screen			
Dia. (in.)	Material, Weight, Specification Mfg. & Method of Assembly	From (ft.)	To (ft.)
6	New P.E. 18.97 Steel, ASTM A-53, .280 wall Valley Steel	surface	277

8. Grout or Other Sealing Material			
Dia. (in.)	Kind of Sealing Material	From (ft.)	To (ft.)
	Drill mud	surface	277

9. Geology			
DNE USE ONLY	Type, Caving/Noncaving, Color, Hardness, Etc.	From (ft.)	To (ft.)
	red clay	surface	28
	gravel and boulders	28	80
	clay, sand and boulders	80	200
	limestone	200	210
	blue shale	210	255
	hard gray shale	255	265
	rust colored shale, caving	265	275
	theinsville dolemite	275	300

10. Static Water Level		12. Well Is:	
ft. above ground level		<input checked="" type="checkbox"/> Above Grade	
-198 ft. below ground surface		12 in. <input type="checkbox"/> Below	
11. Pump Test		Developed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Pumping Level ft. below surface		Disinfected? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Pumping at GPM for hours		Capped? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	

13. Did you permanently seal all unused, noncomplying, or unsafe wells?
☐ Yes ☐ No If no, explain N/A

14. Signature of Point Driver or Registered Driller Date Signed
MUNICIPAL WELL & PUMP, INC. 8/28/91
2201 BADGER COURT
WAUKESHA, WISCONSIN 53188
Date Signed